



Reference / Product name: Flexovit BF41/BF42 Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 1 of 7

Voluntary product information based on the format of a safety data sheet for organic bonded abrasives

1. Identification of the product and of the company/undertaking

1.1 Product identifier

All **Flexovit Inox Mega line Inox** BF41/BF42 cutting wheels as mentioned under 16.

1.2 Use of the product

Organic bonded abrasives for Cutting of metal and Stainless.

1.3 Details of the supplier of the voluntary product information:

Company: Saint-Gobain Abrasives B.V.

Address: P.O. Box 10 7150 AA Eibergen

The Netherlands.

Phone: +31-545-466466 Fax: +31-545-474605

E-mail: info@flexovit.com

National contact: R.J.Wilting

1.4 Emergency telephone number:

+31-545-466466

2. Hazards identification

2.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

See also section 8 and 16.

2.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

2.3. Other hazards

Not known.





Reference / Product name: Flexovit BF41/BF42 Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 2 of 7

3. Composition/information on ingredients

The product contains the following ingredients which are classified according to 67/548/EEC or Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-N°	CAS-N°	REACH Registration N°	Conc. (%)	Classification acc. to Regulation (EC) N° 1272/2008 (CLP)		Classification acc. to
					Hazard classes/ hazard categories	Hazard statements	Directive 67/548/EWC

(For full text of H- and R-phrases see section 16)

4. First aid measures

See also section 8 and 16

4.1. Description of first aid measures

Inhalation: Not possible, due to the form of the product

Eye contact: Not possible, due to the form of the product

Skin contact: No harmful effects known

Ingestion: Not likely, due to the form of the product; if necessary contact physician

Note to physician: Not available.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

5. Fire fighting measures

5.1. Extinguishing media

Extinguishing media: water, foam, sand, powder or CO₂ as appropriate for surrounding materials





Reference / Product name: Flexovit BF41/BF42 Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 3 of 7

5.2. Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

5.3. Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

8. Exposure controls/personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance. (Observe also the regional official regulations)

Limit value type	substance	EC-N°	CAS-N°	Occupational limit value			Peak limit	source, remark	
(country of origin)				Long term		Short term			
				mg/m³	ml/m³ (ppm)	mg/m³	ml/m³ (ppm)		

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

8.2. Exposure controls

- 8.2.1. Individual protection measures
- 8.2.1.1. Respiratory protection: Use respiratory protective equipment (type depends on specific application and material being ground)
- 8.2.1.2. Hand protection: Wear protective gloves





Reference / Product name: Flexovit BF41/BF42 Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 4 of 7

(type depends on specific application and material being ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield

(type depends on specific application and material being ground)

8.2.1.4. Hearing protection: Use hearing protection

(type depends on specific application and material being ground)

8.2.1.5. Body protection: Use protective clothing

(type depends on specific application and material being ground)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1 Physical state: solid

9.2 Colour: Dark brown.9.3 Solubility in water: Insoluble

9.2. Other information

None.

10. Stability and reactivity

10.1. Reactivity

Coated Abrasives are stable when handled or stored correctly.

10.2. Chemical stability

No decomposition in normal use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Coated Abrasives are stable when handled or stored correctly.

10.5. Incompatible materials

No dangerous reactions known.

10.6. Hazardous decomposition products

At temperatures exceeding 250° C hazardous or toxic decomposition products may be generated.

11. Toxicological information

11.1. Information on toxicological effects





Reference / Product name: Flexovit BF41/BF42 Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 5 of 7

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

12. Ecological information

12.1. Toxicity

No effects known.

12.2. Persistence and degradability

No biodegradable potentials known.

12.3. Bioaccumulative potential

No potentials known.

12.4. Mobility in soil

No potentials known.

12.5. Results of PBT and vPvB assessment

Not relevant.

12.6. Other adverse effects

No effects known.

13. Disposal considerations

13.1. Waste treatment methods

13.1. Product

Follow national and regional regulations.

- **X** Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible if no hazardous materials are added to the abrasives. (EWC Nr. 120121),
- O Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC Nr. 120120)
- 13.2. Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the product No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment





Reference / Product name:
Flexovit BF41/BF42
Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 6 of 7

Not relevant.

16. Other information

To. Other init	niiacion -
66252919380	A24V-115X2.0X22.2-T41 FLX-MEGA-LINE
66252919977	A24V-115X2.5X22.2-T41 FLX-MEGA-LINE
66252919154	A24V-115X2.5X22.2-T42 FLX-MEGA-LINE
66252919647	A24V-115X3.0X22.2-T42 FLX-MEGA-LINE
66252919381	A24V-125X2.0X22.2-T41 FLX-MEGA-LINE
66252920007	A24V-125X2.5X22.2-T41 FLX-MEGA-LINE
66252919657	A24V-125X2.5X22.2-T42 FLX-MEGA-LINE
66252919659	A24V-125X3.0X22.2-T42 FLX-MEGA-LINE
66252920023	A24V-150X2.5X22.2-T41 FLX-MEGA-LINE
66252919669	A24V-150X2.5X22.2-T42 FLX-MEGA-LINE
66252919382	A24V-180X2.0X22.2-T41 FLX-MEGA-LINE
66252920042	A24V-180X2.5X22.2-T41 FLX-MEGA-LINE
66252919676	A24V-180X2.5X22.2-T42 FLX-MEGA-LINE
66252920050	A24V-180X3.0X22.2-T41 FLX-MEGA-LINE
66252919679	A24V-180X3.0X22.2-T42 FLX-MEGA-LINE
66252919383	A24V-230X2.0X22.2-T41 FLX-MEGA-LINE
66252920065	A24V-230X2.5X22.2-T41 FLX-MEGA-LINE
66252919702	A24V-230X2.5X22.2-T42 FLX-MEGA-LINE
66252919221	A24V-230X3.0X22.2-T41 FLX-MEGA-LINE
66252829578	A24V-230X3.0X22.2-T42 FLX-MEGA-LINE
66252924040	A36V-150X1.6X22.2-T41 FLX-MEGA-LINE
66252832607	A36V-180X1.6X22.2-T41 FLX-MEGA-LINE
66252832923	A36V-230X1.9X22.2-T41 FLX-MEGA-LINE
66252832920	A46V-115X1.6X22.2-T41 FLX-MEGA-LINE
66252919145	A46V-125X1.6X22.2-T41 FLX-MEGA-LINE
66252840901	A60V-100X1.0X16.0-T41 FLX-MEGA-LINE
66252833241	A60V-115X0.8X22.2-T42 FLX-MEGA-LINE
66252832594	A60V-115X1.0X22.2-T41 FLX-MEGA-LINE
66252840098	A60V-115X1.3X22.2-T41 FLX-MEGA-LINE
66252833242	A60V-125X0.8X22.2-T42 FLX-MEGA-LINE
66252832599	A60V-125X1.0X22.2-T41 FLX-MEGA-LINE
66252840099	A60V-125X1.3X22.2-T41 FLX-MEGA-LINE
66252831582	A60V-150X1.0X22.2-T41 FLX-MEGA-LINE

Changes to the previous versions

See sections 1 to 16.

Literature and data sources

Directive (1999/45/EC), amended by Regulation (EC) N°. 1907/2006. Directive (67/548/EWG), amended by Directive 2009/2/EC. REACH Regulation (EC) Nr. 1907/2006, amended by Regulation (EC) N° 552/2009. Regulation (EC) N° 1272/2008, amended by Regulation (EC) N° 790/2009. Directive 2000/39/EG, amended by Directive 2009/161/EC Directive 75/324/EWG, amended by Regulation (EC) N° 219/2009.

Transport regulations according to ADR, RID und IATA.





Reference / Product name:
Flexovit BF41/BF42
Inox Mega Line

Version/Revision (date):1 Printing date:22-10-14

page 7 of 7

Hazard statements referred to in section 2 and 3

According to Regulation (EC) N° 1272/2008:

Н ..

According to Directive 67/548/EWC:

R

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: R&D SGA Eibergen.

Contact: R.J.Wilting